1.Identification of the substance or mixture and of the supplier

1.1 Product Name:

AZ PRIMER

1.2 Company /Undertaking identification

Manufacturer's Name: SHOFU INC.

Address: 11 Kamitakamatsu-cho, Fukuine, Higashiyama-ku, Kyoto 605-0983, JAPAN

Phone: +81-75-561-1112 Fax: +81-75-561-2273

Section in Charge: Quality Assurance Section

Date Prepared: 2014..9.16

1.3 Emergency Telephone Number

+81-75-561-1112

2.Hazards identification		
GHS CLASSIFICATION		
PHYSICAL HAZARDS	FLAMMABLE LIQUIDS	Category 2
	PYROPHORIC LIQUIDS	Not Classified
	CORROSIVE TO METALS	Not Classified
HEALTH HAZARDS	ACUTE TOXICITY-ORAL	Not Classified
	ACUTE TOXICITY-DERMAL	Not Classified
	ACUTE TOXICITY-INHALATION(VAPOURS)	Not Classified
	SKIN CORROSION/IRRITATION	Not Classified
	EYE DAMAGE/IRRITATION	Category 2A
	SENSITIZATION-RESPIRATORY	Not Classified
	SENSITIZATION-SKIN	Not Classified
	GERM CELL MUTAGENICITY	Not Classified
	CARCINOGENICITY	Not Classified
	TOXIC TO REPRODUCTION	Category 2
	SPECIFIC TARGET ORGAN SYSTEMIC	Category 3(narcotic
	TOXICITY (SINGLE EXPOSURE)	effects,respiratory
		tract irritation)
	SPECIFIC TARGET ORGAN SYSTEMIC	Category 2(blood)
	TOXICITY (REPEATED EXPOSURE)	
ENVIRONMENTAL HAZARD	HAZARDOUS TO THE AQUATIC	Not Classified
	ENVIRONMENT-ACUTE HAZARD	
	HAZARDOUS TO THE AQUATIC	Not Classified
	ENVIRONMENT-CHRONIC HAZARD	

The thing without mention is out of a classification object. Or cannot classify it.

LABEL ELEMENTS SYMBOL





Danger



SIGNAL WORD

HAZARD STATEMENTS

Highly flammable liquid and vapor May cause allergic skin reaction Causens serious eye irritation

1/4 issue 4

May cause allergy or asthma symptoms or breathing difficulties if inhaled May cause respiratory irritation, or May cause drowsiness and dizziness Suspected of damaging fertility or unborn child

Waming May cause damage to organs through prolonged or repeated exposure(blood)

PRECAUTIONARY STATEMENTS

[Prevention]

Obtain special instruction before use.

Do not handle until all safety precautions have been read and understood.

Wear protective gloves and eye/face protection.

In case of inadequate ventilation wear respiratory protection.

Do not breathe dust/fume/gas/mist/vapours/spray.

Do not eat, drink or smoke when using this product.

Keep away from ignition sources such as heat/sparks/open

flames-No smoking.

Ground/Bond container and receiving equipment.

Use only outdoors or in a well-ventilated area.

Contaminated work clothing should not be allowed out of the workspace.

Keep container tightly closed.

Wash hands thoroughly after handling.

[Response]

If in eyes, rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do.

If eye irritation persists, get medical advice/attention.

If on skin, wash with plenty of soap and water. If on skin, skin

irritation, get medical advice/attention.

If inhaled, remove victim to flesh air and keep at rest in a position comfortable for breathing. If symptom concerning

breath gose out, call a POISON CENTER to doctor. If swallowed, rinse mouth. Get medical advice/attention.

[Storage]

Store in a cool and dark area. (Keep refrigerated when not in use)

[Disposal]

Dispose of contents and container in accordance with regulation.

3. Composition/information on ingredients

C omposition

>99 %

Acetone [Cas No.67-64-1]

Phosphonate monomer

Thioctic acid monomer

4.First-aid measures

4.1 Eye contact: Rinse cautiously with water for several minutes. Remove contact lenses, if present.

and easy to do. If eye irritation persists, get medical advice/attention.

4.2 Skin contact: Wash immediately with saop and plenty of water. If on skin, skin irritation, get medical

advice/attention.

4.3 Ingestion: Rinse mouth. Get medical advice/attention.

4.4 Inhalation: Remove victim to flesh air and keep at rest in a position comfortable for breathing.

If symptom concerning breath gose out, call a POISON CENTER to doctor.

2/4 issue 4

Hazzard type

F.Xi

5.Fire-fighting measures

5.1 Suitable Extinguishing Media: Powder, Alcohol-resistsnt foam, Carbon dioxide.

5.2 Extinguishing Media Should not be used: N/A

5.3 Special Exposure Hazards Arising: Hazardous toxic and irritating fumes or smoke may

be emitted. Vapors may travel considerable distance

to ignition source and flash back.

5.4 Special Protective Equipment: Wear fire protective cloth and self-contained

breathing apparatus if necessary.

6.Accidental release measures

6.1 Personal Precautions: See section 8.

6.2 Environmental Precautions: Send to approved treatment/disposal company or

dispose according to local, state and federal regulations.

6.3 Methods for Cleaning Up: Wipe up and discard in a suitable container.

7.Handling and storage

7.1 Handling: Handle in a well ventilated place. Wear protective gloves, safety spectacles or

face shield.(If nrcessary wear self-containded breathing apparatus.)

Keep away from naked flames, sparks and sources of heat. No smorking.

7.2 Storage: Store in a cool and dark fire proof area with container tightly closed.

Separated from strong oxidants.(Keep refrigerated when not in use.)

8.Exposure controls/personal protection

8.1Exposure limits: ACGIH TLV.

Aceton [Cas No.67-64-1] 500ppm(TWA);750ppm(STEL)A4

8.2 Respiratory Protection: Ventilation. Local exhaust.
8.3 Hand Protection: Latex or rubber gloves

8.4 Eye Protection: Safety spectacles

8.5 Skin Protection: Not required (General working clothes.)

9. Physical and chemical properties

9.1 Appearance/Odour/pH Colorless liquid with sweet odor

9.2 Boiling Point/Boiling Range: ≒56°C

9.3 Melting Point/Melting Range: 95 °C [as Acetone] 9.4 Flash point: 95 °C [as Acetone]

9.5 Auto flammability: N/D

9.6 Explosive Properties: Explosive limits (2.2~13 vol% in air) [as Acetone]

9.7 Oxidizing Properties: N/D

9.8 Vapour Pressure: 24 kPa (at 20°C) [as Acetone]

9.9 Relative Density: 0.83 (water=1)9.10 Solubility: water solubility Soluble in all purport

10.Stability and reactivity

10.1 Stability: Stable under recommended storage conditions.

10.2 Reactivity: N/A

10.3 Condition to avoid: Avoid excess heat, flame and other source of ignition.

Separated from strong oxidants.

3/4 issue 4

10.4 Materials to avoid:

Strong oxidizing materials.

11.Toxicological information

Acetone;

Acute toxicity: Emergency response guidebook

Vapors may cause dizziness or suffocation.

(Inhalation) mouse LCL0 110 g/m3/1H tat LCL0 16000 ppm/4H TCL0 500 ppm human (Oral) mouse LD50 3000 mg/kg LD50 5800 mg/kg rat (Dermal) rabbit LD50 20 g/kg

Irritant properties:

Inhalation or contact with material may irritate or bum skin and eyes.

Irritant properties to skin/eye.

(Skin) rabbit 3950 ug; SEVERE

rabbit 100 mg/24H; MODERRATE

(Eye) rabbit 395 mg open ; MILD

rabbit 500 MG/24H; MILD

Allergenic and sensitizing effects; N/A

Chronic toxicity;

Toxic: danger of serious damage to health by prolonged exposure through inhalation.

Carcinogenic effects;

ACGIH-A4: Not Classifiable as a Human Carcinogen.

Mutagenic effects; N/A
Teratogenic effects; N/A
Toxicity for reproduction; N/A

12. Ecological information

The product should not be allowed to drain into sewers.

13.Disposal considerations

Dispose of contents/container to in accordance with local/regional/national/international regulations.

14.Transport information

UN Hazard Class:3/UN Packing Group: II UN NO.1090 (as Aceton)

15.Regulatory information

Follow all regulations in your country.

16.Other information

This product is intended for use by dental professionals. (instrument/material)

4/4 issue 4