

		Printing date. April 26, 2024
SECTIO	ON 1. Identification of the substance or mixture and of the s	upplier
1.1	Product identifier	
	Trade Name:	
	AZ PRIMER	
1.2	Relevant identified uses of the substance or mixture and uses a	dvised against
	Relevant identified uses: Dental material	aviou agamet
10	Uses advised against: No further data	
1.3	Details of the supplier of the safety date sheet	
	Company/Undertaking identification	
	Manufacturer's Name: SHOFU DENTAL CORPORATION	
	Address: 1225 Stone Drive, San Marcos, CA 92078 USA	
	Toll Free: 1-800-827-4638	
	Phone: 760-736-3277	
	Fax: 760-736-3276	
	E-Mail: customer-service@shofu.com	
	Section in Charge: Quality Management & Regulatory Aff	airs
1.4	Emergency Telephone Number	
	For emergencies only. Call CHEMTREC: +1 703-741-597	(0 / 1.800.424.9300 (24 hours))
		07 1-000-424-3500 (24 fiburs)
SECTIO	ON 2. Hazards identification	
2.1	GHS Classification	
	PHYSICAL HAZARDS	
	FLAMMABLE LIQUIDS	Category 2
	HEALTH HAZARDS	
	EYE DAMAGE/IRRITATION	Category 2B
	SPECIFIC TARGET ORGAN SYSTEMIC TOXICITY (SIN	GLE EXPOSURE)
		Category 3 (respiratory tract
		irritation, narcotic effects)
	SPECIFIC TARGET ORGAN SYSTEMIC TOXICITY (REF	
		Category 1 (central nervous
		system, respiratory organ,
		gastrointestinal tract)
2.2	Label elements	
	SYMBOL	
	\vee \vee \vee	
	GHS02 GHS07 GHS08	
	SIGNAL WORD: Danger	
	HAZARD STATEMENTS	
	Highly flammable liquid and vapor.	
	Causes eye irritation.	
	May cause respiratory irritation.	
	may bause respiratory initiation.	



		May cause drowsiness and dizziness.
		Causes damage to organs through prolonged or repeated exposure (central nervous
		system, respiratory organ, gastrointestinal tract).
	PREC	CAUTIONARY STATEMENTS
		[Prevention]
		Do not handle until all safety precautions have been read and understood.
		Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
		Do not eat, drink or smoke when using this product.
		Keep container tightly closed.
		Avoid breathing dust/fume/gas/mist/vapours/spray.
		Wash hands thoroughly after handling.
		Use only outdoors or in a well-ventilated area.
		Wear protective gloves/protective clothing/eye protection/face protection.
		[Response]
		IF ON SKIN: Wash with plenty of water and soap.
		IF INHALED: Remove person to fresh air and keep comfortable for breathing.
		IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if
		present and easy to do. Continue rinsing.
		Get medical advice/attention if you feel unwell.
		If skin irritation or rash occurs: Get medical advice/attention.
		If eye irritation persists: Get medical advice/attention.
		[Storage]
		Store container tightly closed in cool/well-ventilated place.
		[Disposal]
		Dispose of contents and container in accordance with regulation.
2.3	Other	hazards
		Results of PBT and vPvB assessment

- PBT: Not applicable.
- vPvB: Not applicable.

SECTION 3. Composition/information on ingredients

- 3.1 Chemical characterization: Mixtures
- 3.2 Ingredients and composition:

Component	CAS-No	Weight %
Acetone	67-64-1	99-99.5
6-MHPA	141451-39-0	
Others	_	

3.3 Additional information: For the wording of the listed risk phrases refer to section 2

SECTION 4. First-aid measures

4.1 Description of first aid measures



4.2 4.3	 Eye contact: Rinse cautiously with water for several minutes. Remove contact lenses, if present. and easy to do. If eye irritation persists, get medical advice/attention. Skin contact: Wash immediately with soap and plenty of water. If on skin, skin irritation, get medical advice/attention. Ingestion: Rinse mouth and seek medical advice if necessary. Inhalation: Remove victim to fresh air and keep at rest in a position comfortable for breathing. If symptom concerning breath goes out, call a POISON CENTER or doctor. Most important symptoms and effects, both acute and delayed No further relevant information available. Indication of any immediate medical attention and special treatment needed No further relevant information available. 			
SECTIO	ON 5. Fire-fighting measures			
5.1	Extinguishing Media:			
	Foam, CO ₂ , Powder, Dry sand			
5.2	Special hazards arising from the substance or mixture:			
	Easily flammable liquid in room temp.			
E 2	Fire may produce irritating, corrosive and/or toxic gases. Advice for firefighters:			
5.5	Wear fire protective cloth and self-contained breathing apparatus, if necessary.			
	Wear me protective cloth and sen-contained breathing apparatus, in necessary.			
SECTIO	ON 6. Accidental release measures			
6.1	Personal precautions, protective equipment and emergency procedures:			
	Avoid contact with eyes and skin.			
6.2	Environmental Precautions:			
	Do not allow product to reach sewage system or water bodies.			
	Do not allow to enter the ground/soil.			
6.3	Methods and material for containment and cleaning Up:			
.	Wipe up and discard in a stable container.			
6.4				
	See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment.			
	See Section 13 for disposal information.			
	See Section 13 for disposal mormation.			
SECTIO	ON 7. Handling and storage			
7.1	Precautions for safe handling:			
	Handle in a well ventilated place.			
	Keep away from open flames, sparks and sources of heat. No smoking.			
7.2	Conditions for safe storage, including any incompatibilities:			
	Store in a cool and dark area with container tightly closed.			
	Separated from strong oxidants.(Keep refrigerated when not in use.)			
7.3	Specific end use(s):			
	No further relevant information available.			



8.1	Control parameters:							
	Exposure limits:		NIOCI			7		
	A = = t = = =	ACGI		NIOSI		OSHA-Final PELs		
	Acetone 250 ppm TV 500 ppm S ⁻			250 ppm TV		1000 ppm TWA		
		500 ppm a	IEL	(590 mg/m ³ 2500 ppm II	,	2400 mg/m ³ TWA		
8.2	Exposure controls:							
	Respiratory Protection:							
			ed (use prote	ctive gas	mask for organic ga	s, if necessary)		
	Skin Protection:		nd Prot		0	5 5	, ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	
			e glove	material has	to be im	permeable and resist	ant to the product/ the	
			-		-		ecommendation to th	
				• •		he product/ the prep		
		•		-			tion of the penetratior	
				s of diffusion	-			
				of gloves		0		
				•	on of the	suitable gloves does	not only depend on	
						•	quality and varies from	
							oduct is a preparation	
							the glove material car	
							erefore to be checked	
	prior to the application.							
	Penetration time of glove material The exact break through time has to be found out by the							
	The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observe						-	
	 For the permanent contact of a maximum of 15 mi 							
			•		-			
	Nitrile ru		0	Butyl rubber, BR Nitrile rubber, NBR				
			-					
				EI, NDR				
	Eye Protection: Safety goggles							
	ON 9. Physi							
9.1				nd chemical p	•			
	Appearance/Odor/Colour:				Colorless liquid with sweet odor.			
	Odour thres	snold:			Not determined.			
	pH:			Not determined.				
	Melting point/freezing point:		Not determined.					
	Boiling point:			57 °C (as Acetone)				
	Flash point:			-18 °C (closed)				
	Evaporation rate:			Not determined.				
	Flammability (solid, gas):			Not applicable.				
					s: Not determined.			
		r flammabilit	y or exp	losive limits:		ermined. ermined.		



SAFETY DATA SHEET

page 5/7 AZ PRIMER

	Vapour density:		Not determine	d.		
	Relative density:		0.8 (water=1)			
	Solubility: water solubility		Soluble			
	Partition coefficient (n-oct		Not determine	d.		
	Auto-ignition temperature	,	Not determine			
	Decomposition temperature		Not determine			
		<i>1</i> 10.				
	Viscosity:		Not determine			
	Explosive properties:		Not applicable			
	Oxidising properties:		Not applicable	•		
9.2	Other information:					
	No further relevant	information avai	ilable.			
	ON 10. Stability and react	ivity				
10.1	Reactivity:					
	No further relevant	information avai	ilable.			
10.2	Chemical stability:					
	Stable under norma	al temperatures a	and pressures.			
10.3	Possibility of hazardous r	eactions:				
	No dangerous reac	tions known.				
10.4	Condition to Avoid:					
10.1	-	h temperature)	onen flames igniti	on source	and evno	sure to sunlight
	Excessive heat (high temperature), open flames, ignition source, and exposure to sunlight					
105	Incompatible materiale:					
10.5	Incompatible materials:					
	Strong oxidizing ma					
	Strong oxidizing ma Hazardous Decompositio	n Products:				
	Strong oxidizing ma	n Products:	orage and use.			
10.6	Strong oxidizing ma Hazardous Decompositio None under normal	n Products: conditions of sto	orage and use.			
10.6	Strong oxidizing ma Hazardous Decompositio None under normal	n Products: conditions of sto rmation	orage and use.			
10.6	Strong oxidizing ma Hazardous Decompositio None under normal ON 11. Toxicological infor Information on toxicologic	n Products: conditions of sto rmation al effects:				. 5000 //
10.6	Strong oxidizing ma Hazardous Decompositio None under normal	n Products: conditions of sto rmation	Oral	rat	LD50	> 5800 mg/kg
10.6	Strong oxidizing ma Hazardous Decompositio None under normal ON 11. Toxicological infor Information on toxicologic	n Products: conditions of sto rmation al effects:	Oral Dermal	rat rabbit	LD50	> 7400 mg/kg
10.6	Strong oxidizing ma Hazardous Decompositio None under normal ON 11. Toxicological infor Information on toxicologic	n Products: conditions of sto rmation al effects:	Oral			•••
10.6	Strong oxidizing ma Hazardous Decompositio None under normal ON 11. Toxicological infor Information on toxicologic	n Products: conditions of sto rmation al effects:	Oral Dermal	rabbit	LD50	> 7400 mg/kg
10.6	Strong oxidizing ma Hazardous Decompositio None under normal ON 11. Toxicological infor Information on toxicologic	n Products: conditions of sto rmation cal effects: Acetone;	Oral Dermal	rabbit rat	LD50 LC50	> 7400 mg/kg 32000 ppm/4H (75.8 mg/L)
10.6	Strong oxidizing ma Hazardous Decompositio None under normal ON 11. Toxicological infor Information on toxicologic Acute toxicity: Skin corrosion/irritation:	n Products: conditions of sto <u>mation</u> al effects: Acetone; Based on ava	Oral Dermal Inhalation ilable data, the clas	rabbit rat	LD50 LC50	> 7400 mg/kg 32000 ppm/4H (75.8 mg/L)
10.6	Strong oxidizing ma Hazardous Decompositio None under normal ON 11. Toxicological infor Information on toxicologic Acute toxicity: Skin corrosion/irritation: Eye damage/irritation:	n Products: conditions of sta mation cal effects: Acetone; Based on ava Eye Irrit. 2 B; I	Oral Dermal Inhalation	rabbit rat	LD50 LC50	> 7400 mg/kg 32000 ppm/4H (75.8 mg/L)
10.6	Strong oxidizing ma Hazardous Decompositio None under normal ON 11. Toxicological infor Information on toxicologic Acute toxicity: Skin corrosion/irritation:	n Products: conditions of sto mation al effects: Acetone; Based on ava Eye Irrit. 2 B; I ratory tract:	Oral Dermal Inhalation ilable data, the clas H320 Causes eye i	rabbit rat ssification c rritation.	LD50 LC50 riteria are	> 7400 mg/kg 32000 ppm/4H (75.8 mg/L) e not met.
10.6	Strong oxidizing ma Hazardous Decompositio None under normal ON 11. Toxicological infor Information on toxicologic Acute toxicity: Skin corrosion/irritation: Eye damage/irritation: Sensitization to the respin	n Products: conditions of sta mation cal effects: Acetone; Based on ava Eye Irrit. 2 B; I ratory tract: Based on ava	Oral Dermal Inhalation ilable data, the clas H320 Causes eye i ilable data, the clas	rabbit rat ssification c rritation. ssification c	LD50 LC50 riteria are	> 7400 mg/kg 32000 ppm/4H (75.8 mg/L) e not met.
10.6	Strong oxidizing ma Hazardous Decompositio None under normal ON 11. Toxicological infor Information on toxicologic Acute toxicity: Skin corrosion/irritation: Eye damage/irritation: Sensitization to the respir Skin sensitization:	n Products: conditions of sta mation cal effects: Acetone; Based on ava Eye Irrit. 2 B; I atory tract: Based on ava Based on ava	Oral Dermal Inhalation ilable data, the clas H320 Causes eye i	rabbit rat ssification c rritation. ssification c	LD50 LC50 riteria are	> 7400 mg/kg 32000 ppm/4H (75.8 mg/L) e not met.
10.6	Strong oxidizing ma Hazardous Decompositio None under normal ON 11. Toxicological infor Information on toxicologic Acute toxicity: Skin corrosion/irritation: Eye damage/irritation: Sensitization to the respin	n Products: conditions of sta mation cal effects: Acetone; Based on ava Eye Irrit. 2 B; I atory tract: Based on ava Based on ava enotoxicity:	Oral Dermal Inhalation ilable data, the clas H320 Causes eye i ilable data, the clas ilable data, the clas	rabbit rat ssification c rritation. ssification c ssification c	LD50 LC50 riteria are riteria are riteria are	 > 7400 mg/kg 32000 ppm/4H (75.8 mg/L) e not met. e not met. e not met.
10.6	Strong oxidizing ma Hazardous Decompositio None under normal ON 11. Toxicological infor Information on toxicologic Acute toxicity: Skin corrosion/irritation: Eye damage/irritation: Sensitization to the respir Skin sensitization: Germ cell mutagenicity/G	n Products: conditions of sta mation cal effects: Acetone; Based on ava Eye Irrit. 2 B; I atory tract: Based on ava Based on ava enotoxicity: Based on ava	Oral Dermal Inhalation ilable data, the clas H320 Causes eye i ilable data, the clas ilable data, the clas	rabbit rat ssification c rritation. ssification c ssification c	LD50 LC50 riteria are riteria are riteria are	 > 7400 mg/kg 32000 ppm/4H (75.8 mg/L) e not met. e not met. e not met. e not met.
10.6	Strong oxidizing ma Hazardous Decompositio None under normal ON 11. Toxicological infor Information on toxicologic Acute toxicity: Skin corrosion/irritation: Eye damage/irritation: Sensitization to the respir Skin sensitization: Germ cell mutagenicity/G Carcinogenicity:	n Products: conditions of sta mation cal effects: Acetone; Based on ava Eye Irrit. 2 B; I atory tract: Based on ava Based on ava enotoxicity: Based on ava Based on ava	Oral Dermal Inhalation ilable data, the clas H320 Causes eye i ilable data, the clas ilable data, the clas ilable data, the clas	rabbit rat ssification c rritation. ssification c ssification c ssification c	LD50 LC50 riteria are riteria are riteria are riteria are	 > 7400 mg/kg 32000 ppm/4H (75.8 mg/L) e not met.
10.6	Strong oxidizing ma Hazardous Decompositio None under normal ON 11. Toxicological infor Information on toxicologic Acute toxicity: Skin corrosion/irritation: Eye damage/irritation: Sensitization to the respir Skin sensitization: Germ cell mutagenicity/G	n Products: conditions of sta mation cal effects: Acetone; Based on ava Eye Irrit. 2 B; I atory tract: Based on ava Based on ava enotoxicity: Based on ava Based on ava	Oral Dermal Inhalation ilable data, the clas H320 Causes eye i ilable data, the clas ilable data, the clas	rabbit rat ssification c rritation. ssification c ssification c ssification c	LD50 LC50 riteria are riteria are riteria are riteria are	 > 7400 mg/kg 32000 ppm/4H (75.8 mg/L) e not met.
10.6	Strong oxidizing ma Hazardous Decompositio None under normal ON 11. Toxicological infor Information on toxicologic Acute toxicity: Skin corrosion/irritation: Eye damage/irritation: Sensitization to the respir Skin sensitization: Germ cell mutagenicity/G Carcinogenicity:	n Products: conditions of sta mation cal effects: Acetone; Based on ava Eye Irrit. 2 B; I ratory tract: Based on ava Based on ava enotoxicity: Based on ava Based on ava Based on ava	Oral Dermal Inhalation ilable data, the clas H320 Causes eye i ilable data, the clas ilable data, the clas ilable data, the clas	rabbit rat ssification c rritation. ssification c ssification c ssification c	LD50 LC50 riteria are riteria are riteria are riteria are	 > 7400 mg/kg 32000 ppm/4H (75.8 mg/L) e not met.
10.6	Strong oxidizing ma Hazardous Decompositio None under normal ON 11. Toxicological infor Information on toxicologic Acute toxicity: Skin corrosion/irritation: Eye damage/irritation: Sensitization to the respir Skin sensitization: Germ cell mutagenicity/G Carcinogenicity: Reproductive toxicity:	n Products: conditions of sta mation cal effects: Acetone; Based on ava Eye Irrit. 2 B; I atory tract: Based on ava Based on ava enotoxicity: Based on ava Based on ava Based on ava Based on ava	Oral Dermal Inhalation ilable data, the clas H320 Causes eye i ilable data, the clas ilable data, the clas ilable data, the clas ilable data, the clas ilable data, the clas	rabbit rat ssification c rritation. ssification c ssification c ssification c	LD50 LC50 riteria are riteria are riteria are riteria are	 > 7400 mg/kg 32000 ppm/4H (75.8 mg/L) e not met.
10.6	Strong oxidizing ma Hazardous Decompositio None under normal DN 11. Toxicological infor Information on toxicologic Acute toxicity: Skin corrosion/irritation: Eye damage/irritation: Sensitization to the respir Skin sensitization: Germ cell mutagenicity/G Carcinogenicity: Reproductive toxicity: Effects on or via lactation	n Products: conditions of sta mation cal effects: Acetone; Based on ava Eye Irrit. 2 B; I ratory tract: Based on ava Based on ava Based on ava Based on ava Based on ava cotoxicity: Based on ava Based on ava Based on ava Based on ava	Oral Dermal Inhalation ilable data, the clas H320 Causes eye i ilable data, the clas ilable data, the clas ilable data, the clas ilable data, the clas ilable data, the clas	rabbit rat ssification c rritation. ssification c ssification c ssification c ssification c	LD50 LC50 riteria are riteria are riteria are riteria are riteria are riteria are	 > 7400 mg/kg 32000 ppm/4H (75.8 mg/L) e not met.



Specific target organ toxicity (repeated exposure):

STOT RE 1; H372 Causes damage to organs through prolonged or repeated exposure (central nervous system, respiratory organ, gastrointestinal tract).

Aspiration hazard: Based on available data, the classification criteria are not met.

11.2 Information on other hazards:

No further relevant information available.

SECTION 12. Ecological information

12.1 Toxicity:

Acetone:

Fish toxicity: Fathead minnow; LC50/96H >100mg/L

12.2 Persistence and degradability:

No further relevant information available.

12.3 Bioaccumulative potential:

No further relevant information available.

12.4 Mobility in soil:

No further relevant information available.

- 12.5 Results of PBT and vPvB assessment:
- Not applicable. 12.6 Other adverse effects:

No further relevant information available.

SECTION 13. Disposal considerations

13.1 Waste treatment methods:

Dispose of contents/container to in accordance with local/regional/national/international regulations.

SECTION 14. Transport information

14.1 UN number:	1090
14.2 UN proper shipping name:	Acetone, solution
14.3 Transport hazard class (es):	3 Flammable liquids.
14.4 Packing group:	II
14.5 Environmental hazards:	No further relevant information available.
14.6 Special precautions for user:	Not applicable.
14.7 Transport in bulk according to Annex	II of MARPOL73/78 and the IBC Code:
	Not applicable.

SECTION 15. Regulatory information

Follow all regulations in your country.

SECTION 16. Other information

This product is intended for use by dental professionals (instrument/material).



