# SAFETY DATA SHEET

1.1 Product Name:		
VINTAGE Art		
1.2 Company /Undertaking	identification	
Manufacturer's Nam	e: SHOFU INC.	
Address: 11 Kamita	kamatsu-cho, Fukuine, Higashiyama-ku, Kyot	o 605–0983 ,JAPAN
Phone: +81-75-561	-1112	
Fax: +81-75-561-22	273	
Section in Charge: (	Quality Assurance Section	
Date Prepared:	2014.9.29	
1.3 Emergency Telephone	Number	
+81-75-561-1112		
Hazardous identification		
HS CLASSIFICATION		
PHYSICAL HAZARDS	SKIN CORROSION/IRRITATION	Not Classified
	EYE DAMAGE/IRRITATION	Category 2A
NVIRONMENTAL HAZARD	HAZARDOUS TO THE AQUATIC	Not Classified

The thing without mention is out of a classification object. Or cannot classify it.

LABEL ELEMENTS SYMBOL	
SIGNAL WORD	Warning
HAZARD STATEMENTS	Causens skin irritation Causens serious eye irritation
PRECAUTIONARY STATEMEN	Harmful to aquatic life ITS
	[Prevention] Obtain special instruction before use.
	Do not handle until all safety precautions have been read and understood.
	Wear protective gloves and eye/face protection.
	Do not breathe dust/fume/gas/mist/vapours/spray.
	Wash hands thoroughly after handling.
	Keep container tightly closed.
	Avoid release to the environment.
	[Response]
	If on skin, wash with plenty of soap and water. If on skin, skin irritation,
	get medical advice/attention.
	If in eyes, rinse cautiously with water for several minutes.
	Remove contact lenses, if present and easy to do.
	If eye irritation persists, get medical advice/attention. [Storage]
	Store under normal dry conditions. Keep containers tighgtly closed.

### SDS\_VINTAGE Art

# SAFETY DATA SHEET

Dispose of contents and container in accordance with regulation.

omposition/info	rmation on i	ngredients					
70 00%					glass compo		
		s powder and pigmer		SiO <sub>2</sub>		44~64	
30-20%	Propyrene gl	ycol [Cas No.57-55-	-6]	$AI_2O_3$		6~18	
				K <sub>2</sub> O		2~ 8	
				Na <sub>2</sub> O		3~ 7	
				$B_2O_3$		8~16	
				CaO		1~3	
				Pigment		0 <b>~</b> 17	
No haza	rdous materi	al are present in the	ingredient.				
First-aid measur	es						
4.1 Eye contact :	· Rinse cau	tiously with water fo	or several min	utes. Rem	nove contact	lenses, if pre	sent
	and easy t	to do. If eye irritatior	n persists, get	t medical	advice/atter	ntion.	
4.2 Skin contact	: Wash imm	ediately with water a	and mild soap	. If on ski	n, skin irritat	ion, get medic	al
	advice/at	tention.					
4.3 Ingestion :	Rinse mou	ith water and seek n	nedial advice,	, if necess	sary.		
4.4 Inhalation:	Remove v	Remove victim to flesh air and keep at rest in a position comfortable for breathing.				able for breat	
			a keep at rest	Lin a posi			hing.
			a keep at rest	L IN a posi			hing.
Fire-fighting mea			i keep at rest	L in a posi			hing.
Fire-fighting mea 5.1 Suitable Exti	sures					wder, Foam, V	
	isures inguishing Me	edia:					
5.1 Suitable Extr	sures inguishing Me g Media Shou	edia: ıld not be used :	Carbon dic N/A	oxide, Dry	chemical po		Vate
5.1 Suitable Extr 5.2 Extinguishing	sures inguishing Me g Media Shou	edia: ıld not be used :	Carbon dic N/A	oxide, Dry fire, gases	chemical po s and fumes	wder, Foam, V	Vate
5.1 Suitable Extr 5.2 Extinguishing	isures inguishing Me g Media Shou osure Hazard	edia: Ild not be used : s Arising:	Carbon dic N/A In case of	oxide, Dry fire, gases	chemical po s and fumes	wder, Foam, V	Vate
5.1 Suitable Exti 5.2 Extinguishin <u>e</u> 5.3 Special Expo	inguishing Me g Media Shou osure Hazard ective Equipt	edia: Ild not be used : s Arising:	Carbon dic N/A In case of acrolein es	oxide, Dry fire, gases	chemical po s and fumes	wder, Foam, V	Vate
5.1 Suitable Extr 5.2 Extinguishing 5.3 Special Expo 5.4 Special Prote Accidental releas	inguishing Me g Media Shou osure Hazard ective Equip se measures	edia: Ild not be used : is Arising: ment:	Carbon dic N/A In case of acrolein es N/A	oxide, Dry fire, gase: scape pos	chemical po s and fumes sible.	wder, Foam, V	Vate
5.1 Suitable Extr 5.2 Extinguishing 5.3 Special Expo 5.4 Special Prote Accidental releas 6.1 Personal Pre	inguishing Me g Media Shou osure Hazard ective Equipt se measures ecautions:	edia: Ild not be used : 's Arising: ment: Avoid co	Carbon dic N/A In case of acrolein es N/A	oxide, Dry fire, gases scape pos yes and sł	chemical po s and fumes sible. kin.	wder, Foam, V	Vate
5.1 Suitable Extr 5.2 Extinguishing 5.3 Special Expo 5.4 Special Prote Accidental releas	inguishing Me g Media Shou osure Hazard ective Equipt se measures ecautions:	edia: Ild not be used : 's Arising: ment: Avoid co	Carbon dic N/A In case of acrolein es N/A	oxide, Dry fire, gases scape pos yes and sł	chemical po s and fumes sible. kin.	wder, Foam, V	Vate
5.1 Suitable Extr 5.2 Extinguishing 5.3 Special Expo 5.4 Special Prote Accidental releas 6.1 Personal Pre	inguishing Me g Media Shou osure Hazard ective Equip <b>se measures</b> ecautions: Cleaning Up.	edia: Ild not be used : 's Arising: ment: Avoid co	Carbon dic N/A In case of acrolein es N/A	oxide, Dry fire, gases scape pos yes and sł	chemical po s and fumes sible. kin.	wder, Foam, V	Vate
5.1 Suitable Extr 5.2 Extinguishing 5.3 Special Expo 5.4 Special Prote Accidental releas 6.1 Personal Pre 6.2 Methods for	inguishing Me g Media Shou osure Hazard ective Equip ce measures ecautions: Cleaning Up.	edia: Ild not be used : 's Arising: ment: Avoid co	Carbon dic N/A In case of acrolein es N/A ontact with ey and discard i	oxide, Dry fire, gases scape pos yes and sk n a sutabl	chemical po s and fumes sible. kin. le container.	wder, Foam, V	Vate
5.1 Suitable Extr 5.2 Extinguishing 5.3 Special Expo 5.4 Special Prote Accidental releas 6.1 Personal Pre 6.2 Methods for Handling and stor	inguishing Me inguishing Me g Media Shou osure Hazard ective Equip ective Equip ecautions: Cleaning Up. rage Use in acc	edia: Ild not be used : is Arising: ment: Movid co Wipe up	Carbon dic N/A In case of acrolein es N/A ontact with ey and discard i	pxide, Dry fire, gases scape pos yes and sk n a sutabl	chemical po s and fumes sible. kin. le container. ated area.	wder, Foam, V may emit and	Vate
5.1 Suitable Extr 5.2 Extinguishing 5.3 Special Expo 5.4 Special Prote Accidental releas 6.1 Personal Pre 6.2 Methods for Handling and stor	inguishing Me g Media Shou osure Hazard ective Equip se measures ecautions: Cleaning Up. rage Use in acc In case of	edia: Ild not be used : 's Arising: ment: Avoid co Wipe up cordance with instru-	Carbon dic N/A In case of acrolein es N/A ontact with ey and discard i	pxide, Dry fire, gases scape pos yes and sk n a sutabl	chemical po s and fumes sible. kin. le container. ated area.	wder, Foam, V may emit and	Vate
5.1 Suitable Extr 5.2 Extinguishing 5.3 Special Expo 5.4 Special Prote Accidental releas 6.1 Personal Pre 6.2 Methods for Handling and stor	inguishing Me g Media Shou osure Hazard ective Equip se measures ecautions: Cleaning Up. rage Use in acc In case of dust respi	edia: Ild not be used : s Arising: ment: Avoid co Wipe up cordance with instru- grinding and polishir	Carbon dic N/A In case of acrolein es N/A ontact with ey and discard i ction in the w	oxide, Dry fire, gases scape pos yes and sł n a sutabl vell ventila tmask and	chemical po s and fumes sible. kin. le container. ated area. I safety glass	wder, Foam, V may emit and	Vate
5.1 Suitable Extr 5.2 Extinguishing 5.3 Special Expo 5.4 Special Prote Accidental releas 6.1 Personal Pre 6.2 Methods for Handling and stor 7.1 Handling:	inguishing Me g Media Shou osure Hazard ective Equip se measures ecautions: Cleaning Up. rage Use in acc In case of dust respi	edia: uld not be used : is Arising: ment: Avoid co Wipe up cordance with instru- grinding and polishir rator and local exhau	Carbon dic N/A In case of acrolein es N/A ontact with ey and discard i ction in the w	oxide, Dry fire, gases scape pos yes and sł n a sutabl vell ventila tmask and	chemical po s and fumes sible. kin. le container. ated area. I safety glass	wder, Foam, V may emit and	Vate
5.1 Suitable Extr 5.2 Extinguishing 5.3 Special Expo 5.4 Special Prote Accidental releas 6.1 Personal Pre 6.2 Methods for Handling and stor 7.1 Handling:	inguishing Me inguishing Me g Media Shou osure Hazard ective Equipu se measures cautions: Cleaning Up. rage Use in acc In case of dust respi Store und	edia: Ild not be used : is Arising: ment: Avoid co Wipe up cordance with instru- grinding and polishir rator and local exhan- er normal dry condit	Carbon dic N/A In case of acrolein es N/A ontact with ey and discard i ction in the w	oxide, Dry fire, gases scape pos yes and sł n a sutabl vell ventila tmask and	chemical po s and fumes sible. kin. le container. ated area. I safety glass	wder, Foam, V may emit and	Vate
5.1 Suitable Extr 5.2 Extinguishing 5.3 Special Expo 5.4 Special Prote 6.4 Personal Pre 6.2 Methods for Handling and stor 7.1 Handling: 7.2 Storage:	inguishing Me inguishing Me g Media Shou osure Hazard ective Equip se measures ecautions: Cleaning Up. rage Use in acc In case of dust respi Store und s/personal p	edia: Ild not be used : is Arising: ment: Avoid co Wipe up cordance with instru- grinding and polishir rator and local exhan- er normal dry condit	Carbon dic N/A In case of acrolein es N/A ontact with ey and discard i ction in the w	oxide, Dry fire, gases scape pos yes and sł n a sutabl vell ventila tmask and	chemical po s and fumes sible. kin. le container. ated area. I safety glass	wder, Foam, V may emit and	Vate
5.1 Suitable Extr 5.2 Extinguishing 5.3 Special Expo 5.4 Special Prote Accidental releas 6.1 Personal Pre 6.2 Methods for Handling and stor 7.1 Handling: 7.2 Storage: Exposure control	inguishing Me inguishing Me g Media Shou osure Hazard ective Equip se measures ecautions: Cleaning Up. Tage Use in acc In case of dust respi Store und s/personal p its:	edia: Ild not be used : is Arising: ment: Movid co Wipe up cordance with instru- grinding and polishir rator and local exhan- er normal dry condit	Carbon dic N/A In case of acrolein es N/A ontact with ey and discard i ction in the w ng , wear dast ust. cions. Keep co	oxide, Dry fire, gases scape pos yes and sł n a sutabl vell ventila tmask and	chemical po s and fumes sible. kin. le container. ated area. I safety glass	wder, Foam, V may emit and	Vate
<ul> <li>5.1 Suitable Extri</li> <li>5.2 Extinguishing</li> <li>5.3 Special Expo</li> <li>5.4 Special Prote</li> <li>Accidental release</li> <li>6.1 Personal Pre</li> <li>6.2 Methods for</li> <li>Handling and stor</li> <li>7.1 Handling:</li> <li>7.2 Storage:</li> <li>Exposure control</li> <li>8.1Exposure limi</li> </ul>	inguishing Me inguishing Me g Media Shou osure Hazard ective Equipu se measures ecautions: Cleaning Up. rage Use in acc In case of dust respi Store und s/personal p its: Protection:	edia: Ild not be used : is Arising: ment: Movid co Wipe up cordance with instru- grinding and polishir rator and local exhat er normal dry condit protection N/A	Carbon dic N/A In case of acrolein es N/A ontact with ey and discard i ction in the w ng , wear dast ust. cions. Keep co	oxide, Dry fire, gases scape pos yes and sł n a sutabl vell ventila tmask and	chemical po s and fumes sible. kin. le container. ated area. I safety glass	wder, Foam, V may emit and	Vate
5.1 Suitable Extr 5.2 Extinguishing 5.3 Special Expo 5.4 Special Prote Accidental releas 6.1 Personal Pre 6.2 Methods for Handling and stor 7.1 Handling: 7.2 Storage: Exposure control 8.1Exposure limi 8.2 Respiratory	inguishing Me inguishing Me g Media Shou osure Hazard ective Equipu se measures cautions: Cleaning Up. rage Use in acc In case of dust respi Store und s/personal p its: Protection: tion:	edia: Ild not be used : is Arising: ment: Avoid co Wipe up cordance with instru- grinding and polishir rator and local exhau- er normal dry condit protection N/A Local exhaust may	Carbon dic N/A In case of acrolein es N/A ontact with ey and discard i ction in the w ng , wear dast ust. cions. Keep co be required.	oxide, Dry fire, gases scape pos yes and sł n a sutabl vell ventila tmask and	chemical po s and fumes sible. kin. le container. ated area. I safety glass	wder, Foam, V may emit and	Vate

# SAFETY DATA SHEET

#### 9.Physical and chemical properties

Viscous, odorless colored paste
>100°C
N/D
≒2.1
Liquid content is soluble, Solid contents are not soluble.

# 10.Stability and reactivity

10.1 Stability:	Stable under normal temperatures and pressures.
10.2 Condition toavoid:	N/A
10.3 Material to avoid:	Avoid contact with strong oxidants.

## 11.Toxicological information

Glycerol ; Oral rat LD50: 12,600 mg/kg. Investigated as a mutagen, reproductive effector.

#### 12. Ecological information

No information

#### 13.Disposal considerations

Dispose of contents/container to in accordance with local/regional/national/international regulations (to be specified).

### 14.Transport information

Airline restriction information ; It doesn't correspond. UN No. ; It doesn't correspond. Sea restriction information ; It doesn't correspond. UN No. ; It doesn't correspond.

#### 15.Regulatory information

Follow all regulations in your country.

## 16.Other information

This product is intended for use by dental professionals. (instrument/material)